

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/542,500	07/15/2005	Gerfried Ranner	282594US8XPCT	5322
²²⁸⁵⁰ OBLON, SPIV	7590 06/06/200 AK, MCCLELLAND,	EXAMINER		
1940 DUKE STREET ALEXANDRIA, VA 22314			CHAI, LONGBIT	
ALEXANDICIA, VA 22514			ART UNIT	PAPER NUMBER
			2131	
		·		
			NOTIFICATION DATE	DELIVERY MODE
			06/06/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

	Application No.	Applicant(s)				
	10/542,500	RANNER ET AL.				
Office Action Summary	Examiner	Art Unit				
*	Longbit Chai	2131				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailling date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION B6(a). In no event, however, may a reply be time rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	I. sely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 15 Ju	ily 2005.					
2a) This action is FINAL . 2b) ⊠ This	This action is FINAL . 2b)⊠ This action is non-final.					
3) Since this application is in condition for allowar	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) ☐ Claim(s) 1-10,12-21,23-25,27 and 28 is/are per 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-10,12-21,23-25,27 and 28 is/are rejoint of the structure o	vn from consideration. ected. are objected to.					
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on 15 July 2005 is/are: a) Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	☑ accepted or b)☐ objected to be drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119	•					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)	•					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 7/15/2005.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate				

DETAILED ACTION

Priority

1. Applicant's claim for benefit of foreign priority under 35 U.S.C. 119 (a) – (d) is acknowledged.

The application is filed on 7/15/2005 but is a 371 case of PCT/EP04/00316 application filed 1/16/2004 and has a foreign priority application filed on 1/17/2003.

Preliminary Amendment

2. Examiner acknowledges Preliminary Amendment for the claims filed 7/15/2005. Applicants have amended pending claims 1-5, 7-10, 12, 14-18, 20, 23-25 and 27-28 and cancelled claims 11, 22 and 26. The submitted amendments have been entered and made of record. Presently, pending claims are 1-10, 12, 13-21, 23-25, 27 and 28.

Specification

3. The disclosure is objected to because it contains an embedded hyperlink (SPEC: Page 9 Line 11 – 12). Applicant is required to delete the embedded hyperlink and/or other form of browser-executable code. See MPEP § 608.01.

Claim Objection

4. Claims 1 and 5 are objected to because of the following informalities: "Method" should be replaced with "A method". Appropriate correction(s) is (are) required.

Art Unit: 2131 -

5. Claims 2 – 4 and 6 – 10, 12 -- 17 are objected to because of the following informalities: "Method" should be replaced with "The method". Appropriate correction(s) is (are) required.

Page 3

- 6. Claim 16 is objected to because of the following informalities: "bonus material of the content" should be replaced with "bonus material of a content". Appropriate correction(s) is (are) required.
- 7. Claim 18 is objected to because of the following informalities: "Computer program product" should be replaced with "A computer program product". Appropriate correction(s) is (are) required.
- 8. Claim 20 is objected to because of the following informalities: "Record carrier" should be replaced with "A record carrier". Appropriate correction(s) is (are) required.
- 9. Claims 21, 23 25, 27 and 28 are objected to because of the following informalities: "Record carrier" should be replaced with "The record carrier". Appropriate correction(s) is (are) required.

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

10. Claim 18 is rejected under 35 U.S.C. 101 because these claims are directed to "A computer program product", which is merely an example of functional descriptive material, (i.e. software, per se), and is nonstatutory under 35 USC 101. By not limiting

Art Unit: 2131

the computer program product to being stored on a computer readable storage medium, there is a lack of the required functional and structural interrelationship between the software and the computer storage medium that permits the functionality of the software to be realized upon access by a processor. This ability is what underlies the ability to provide a practical application. Warmerdam, 33 F.3d at 1361, 31 USPQ2d at 1760. In re Sarkar, 588 F.2d 1330, 1333, 200 USPQ 132, 137 (CCPA 1978). See MPEP § 2106 (IV.B).1(a).

Examiner suggests incorporating dependent claim 19 into the claim 18 to resolve the 101 issue set forth as above.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

11. Claims 4, 6 and 18 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claims 4 and 6, the use of the claim language "<u>preferably</u>" renders these claims indefinite, since this claim language leads to a question of whether the claimed operations really occurred and as such merely suggests limitations or makes limitations indefinite and optional.

Regarding claim 18, the phrase "or the like" renders the claim(s) indefinite because the claim(s) include(s) elements not actually disclosed (those encompassed by

Art Unit: 2131

"or the like"), thereby rendering the scope of the claim(s) unascertainable. See MPEP § 2173.05(d).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

A person shall be entitled to a patent unless -

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 12. Claims 1 10, 12, 13, 15 21, 23 25, 27 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Paolucci et al. (Frence Patent FR-A-2822255), in view of Rajakarunanayake (U.S. Patent 6,587,883, and in view of Greene et al. (U.S. Patent 6,802,000).

As per claim 1, Paolucci teaches a method for **securing an access to a predetermined area of a target server** (Paolucci: Page 5 Line 1 – 3, Page 10, 2nd Para and Page 17, 3rd Bullet: enabling a secure access to a specific internet website (i.e. a predetermined area of a target server) from a CD), characterized by:

providing an information file on a copy protected record carrier (Paolucci: Page 6, 2nd Para, 1 – 4 Bullets, Page 10 Line 1 – 2, Page 16, 2nd – 5th Para, Page 17, 3rd Bullet, Page 7 Line 1 and Page 9, 1st Para / 3rd Para: a CD that stores user

Art Unit: 2131

information (e.g., 5 -character confidential code, URL address and password) in a secure manner by making it impossible to be reproduced is considered as one type of copy protected record carriers and the stored user information allowing a user to automatically access and launch an internet connection request is considered as an information file), which information file comprises a project identifier and/or an address of an authentication server with which an application using said information file can communicate (Paolucci: Page 7 Line 1, Page 15 Line 6 – 8, Page 17, 3rd Bullet, Page 10, 2nd Para, Page 9, 1st Para / 3rd Para, Page 14 Line 5 – 7 and Page 6, Last 2nd Bullets: (a) the information regarding the application enabling a secure access to a specific internet website is stored on the CD (b) the stored information to automatically launch the internet connection request to access specific internet website and to validate the authorized opening session with 5 characters confidential code (& URL address and password) is considered as part of information to communicate with an authentication server and (c) the user's confidential access code (& URL address and password) to access a specific internet website is considered as part of a project identifier).

However, Paolucci does not disclose expressly the authentication server can initiate and confirm a connection between a computer on which said application is started and said predetermined area of said target server that is identified by the authentication server and/or the project identifier.

Rajakarunanayake teaches the authentication server can initiate and confirm a connection between a computer on which said application is started and said

predetermined area of said target server that is identified by the authentication server and/or the project identifier (Rajakarunanayake: Column 6 Line 36 - 38 / Line 50 - 53 / Line 63 - 67 and Column 12 Line 1 - 2 / Line 12 - 17 & Figure 3 / Element 330 & 157: an Authentication server is used to provide a secure connection to a secure target location and the user identifier (i.e. authentication information) is used by the Authentication server to uniquely identify the desired target location and once the desired target location is determined (i.e. after the positive verification of the user identifier and authentication information by the authentication server), a new session is established between the user and the determined target location by the authentication server – i.e., there are two sections: one session between the clients and the authentication server and subsequently a new session is started between the clients and the target system (ISP)).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teaching of Rajakarunanayake within the system of Paolucci because (a) Paolucci teaches providing an automated secured access to a target location (i.e. internet website) by launching of the process from a user's CD at the client site and authenticating with the target system for the open session connection (Paolucci : Page 2 Line 1 – 2 and Page 6, 5th Bullet), and (b) Rajakarunanayake teaches using an authentication server to establish a new secured session between the user and the determined target location while the connectivity is disabled to other target locations so that the desired target system at the secure location may not be exposed to

Art Unit: 2131

the risk of unauthorized access (Rajakarunanayake: Column 12 Line 1-2 / Line 12-17 & Figure 3 / Element 330 & 157 and Column 2 Line 7-10).

Paolucci as modified does not disclose expressly said authentication server verifies whether or not a changing parameter of the computer, in particular a randomly generated number and/or a computer system time transmitted from said computer, was not already previously used and initiates a connection of said computer with said predetermined area of said target in case of a positive verification.

Greene teaches said authentication server verifies whether or not a changing parameter of the computer, in particular a randomly generated number and/or a computer system time transmitted from said computer, was not already previously used and initiates a connection of said computer with said predetermined area of said target in case of a positive verification (Greene:

Column 1 Line 50 – 52 / Line 55 – 60: a one-time pad of passwords is synchronously changed and used between the end-to-end parties and a previously valid password does not provide any information about the validity of subsequent passwords).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teaching of Greene within the system of Paolucci as modified because (a) Paolucci teaches providing an automated secured access to a target location (i.e. internet website) by launching of the process from a user's CD at the client site and authenticating with the target system for the open session connection (Paolucci : Page 2 Line 1 – 2 and Page 6, 5th Bullet), and (b) Greene teaches using an one-time pad of passwords to be synchronously changed between the client and the

Art Unit: 2131

authentication server so that exposure of a password over an insecure channel does not compromise the security of subsequent transactions because a previously valid password does not provide any information about the validity of subsequent passwords (Greene: Column 1 Line 50 - 52 / Line 55 - 60).

As per claim 5, Paolucci teaches a method for **starting a secure access to a predetermined area of a target server** (Paolucci: Page 5 Line 1 – 3, Page 10, 2nd Para and Page 17, 3rd Bullet: enabling a secure access to a specific internet website (i.e. a predetermined area of a target server) from a CD), characterized by:

accessing of an information file on a copy protected record carrier

(Paolucci: Page 6, 2nd Para, 1 – 4 Bullets, Page 10 Line 1 – 2, Page 16, 2nd – 5th Para,

Page 17, 3rd Bullet, Page 7 Line 1 and Page 9, 1st Para / 3rd Para: a CD that stores user
information (e.g., 5 -character confidential code, URL address and password) in a
secure manner by making it impossible to be reproduced is considered as one type of
copy protected record carriers and the stored user information allowing a user to
automatically access and launch an internet connection request is considered as an
information file), which information file comprises a project identifier and/or an
address of an authentication server with which an application using said
information file can communicate (Paolucci: Page 7 Line 1, Page 15 Line 6 – 8, Page
17, 3rd Bullet, Page 10, 2nd Para, Page 9, 1st Para / 3rd Para, Page 14 Line 5 – 7 and
Page 6, Last 2nd Bullets: (a) the information regarding the application enabling a secure
access to a specific internet website is stored on the CD (b) the stored information to

automatically launch the internet connection request to access specific internet website and to validate the authorized opening session with 5 characters confidential code (& URL address and password) is considered as part of information to communicate with an authentication server and (c) the user's confidential access code (& URL address and password) to access a specific internet website is considered as part of a project identifier).

However, Paolucci does not disclose expressly the authentication server can initiate and confirm a connection between a computer on which said application is started and said predetermined area of said target server that is identified by the authentication server and/or the project identifier.

Rajakarunanayake teaches the authentication server can initiate and confirm a connection between a computer on which said application is started and said predetermined area of said target server that is identified by the authentication server and/or the project identifier (Rajakarunanayake: Column 6 Line 36 – 38 / Line 50 – 53 / Line 63 – 67 and Column 12 Line 1 – 2 / Line 12 – 17 & Figure 3 / Element 330 & 157: an Authentication server is used to provide a secure connection to a secure target location and the user identifier (i.e. authentication information) is used by the Authentication server to uniquely identify the desired target location and once the desired target location is determined (i.e. after the positive verification of the user identifier and authentication information by the authentication server), a new session is established between the user and the determined target location by the authentication server – i.e., there are two sections: one session between the clients and the

Art Unit: 2131

authentication server and subsequently a new session is started between the clients and the target system (ISP)).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teaching of Rajakarunanayake within the system of Paolucci because (a) Paolucci teaches providing an automated secured access to a target location (i.e. internet website) by launching of the process from a user's CD at the client site and authenticating with the target system for the open session connection (Paolucci: Page 2 Line 1 – 2 and Page 6, 5th Bullet), and (b) Rajakarunanayake teaches using an authentication server to establish a new secured session between the user and the determined target location while the connectivity is disabled to other target locations so that the desired target system at the secure location may not be exposed to the risk of unauthorized access (Rajakarunanayake: Column 12 Line 1 – 2 / Line 12 – 17 & Figure 3 / Element 330 & 157 and Column 2 Line 7 – 10).

Paolucci as modified does not disclose expressly said authentication server verifies whether or not a changing parameter of the computer, in particular a randomly generated number and/or a computer system time transmitted from said computer, was not already previously used.

Greene teaches said authentication server verifies whether or not a changing parameter of the computer, in particular a randomly generated number and/or a computer system time transmitted from said computer, was not already previously used (Greene: Column 1 Line 50 – 52 / Line 55 – 60: a one-time pad of passwords is synchronously changed and used between the end-to-end parties and a

previously valid password does not provide any information about the validity of subsequent passwords).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teaching of Greene within the system of Paolucci as modified because (a) Paolucci teaches providing an automated secured access to a target location (i.e. internet website) by launching of the process from a user's CD at the client site and authenticating with the target system for the open session connection (Paolucci : Page 2 Line 1 – 2 and Page 6, 5th Bullet), and (b) Greene teaches using an one-time pad of passwords to be synchronously changed between the client and the authentication server so that exposure of a password over an insecure channel does not compromise the security of subsequent transactions because a previously valid password does not provide any information about the validity of subsequent passwords (Greene: Column 1 Line 50 – 52 / Line 55 – 60).

initiates a connection of said computer with said predetermined area of said target server in case of a positive verification (Rajakarunanayake: Column 6 Line 36 - 38 / Line 50 - 53 / Line 63 - 67 and Column 12 Line 1 - 2 / Line 12 - 17 & Figure 3 / Element 330 & 157: after the positive verification of the user identifier and authentication information by the authentication server (i.e. once the desired target location is determined), a new session is established between the user and the determined target location by the authentication server).

As per claim 20, Paolucci teaches a record carrier (Paolucci: Page 5 Line 1 – 3, Page 10, 2^{nd} Para and Page 17, 3^{rd} Bullet: enabling a secure access to a specific internet website (i.e. a predetermined area of a target server) from a record carrier CD), characterized by:

being copy protected and comprising an application and an information file (Paolucci: Page 6, 2nd Para, 1 – 4 Bullets, Page 10 Line 1 – 2, Page 16, 2nd – 5th Para, Page 17, 3rd Bullet, Page 7 Line 1 and Page 9, 1st Para / 3rd Para: a CD that stores user information (e.g., 5 -character confidential code, URL address and password) in a secure manner by making it impossible to be reproduced is considered as one type of copy protected record carriers and the stored user information allowing a user to automatically access and launch an application process in auto-run mode from the CD to make an internet connection request are considered as the application process and the information file), which information file comprises a project identifier and/or an address of an authentication server with which the application using said information file can communicate (Paolucci: Page 7 Line 1, Page 15 Line 6 – 8, Page 17, 3rd Bullet, Page 10, 2nd Para, Page 9, 1st Para / 3rd Para, Page 14 Line 5 – 7 and Page 6, Last 2nd Bullets: (a) the information regarding the application enabling a secure access to a specific internet website is stored on the CD (b) the stored information to automatically launch the internet connection request to access specific internet website and to validate the authorized opening session with 5 characters confidential code (& URL address and password) is considered as part of information to communicate with an authentication server and (c) the user's confidential access code (& URL address

and password) to access a specific internet website is considered as part of a project identifier).

However, Paolucci does not disclose expressly the authentication server can initiate and confirm a connection between a computer on which said application file is started and a predetermined area of a target server that is identified by the authentication server and/or the project identifiers.

Rajakarunanayake teaches the authentication server can initiate and confirm a connection between a computer on which said application file is started and a predetermined area of a target server that is identified by the authentication server and/or the project identifiers (Rajakarunanayake: Column 6 Line 36 – 38 / Line 50 – 53 / Line 63 – 67 and Column 12 Line 1 – 2 / Line 12 – 17 & Figure 3 / Element 330 & 157: an Authentication server is used to provide a secure connection to a secure target location and the user identifier (i.e. authentication information) is used by the Authentication server to uniquely identify the desired target location and once the desired target location is determined (i.e. after the positive verification of the user identifier and authentication information by the authentication server), a new session is established between the user and the determined target location by the authentication server – i.e., there are two sections: one session between the clients and the authentication server and subsequently a new session is started between the clients and the target system (ISP)).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teaching of Rajakarunanayake within the system of

Paolucci because (a) Paolucci teaches providing an automated secured access to a target location (i.e. internet website) by launching of the process from a user's CD at the client site and authenticating with the target system for the open session connection (Paolucci : Page 2 Line 1-2 and Page 6, 5^{th} Bullet), and (b) Rajakarunanayake teaches using an authentication server to establish a new secured session between the user and the determined target location while the connectivity is disabled to other target locations so that the desired target system at the secure location may not be exposed to the risk of unauthorized access (Rajakarunanayake: Column 12 Line 1-2 / Line 12-17 & Figure 3 / Element 330 & 157 and Column 2 Line 7-10).

Paolucci as modified does not disclose expressly said application transmits a changing parameter of the computer, in particular a randomly generated number and/or a computer system time to said authentication server so that said authentication server can verify whether or not the changing parameter of the computer was not already previously used.

Greene teaches said application transmits a changing parameter of the computer, in particular a randomly generated number and/or a computer system time to said authentication server so that said authentication server can verify whether or not the changing parameter of the computer was not already previously used (Greene: Column 1 Line 50 – 52 / Line 55 – 60: a one-time pad of passwords is synchronously changed and used between the end-to-end parties and a previously valid password does not provide any information about the validity of subsequent passwords).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teaching of Greene within the system of Paolucci as modified because (a) Paolucci teaches providing an automated secured access to a target location (i.e. internet website) by launching of the process from a user's CD at the client site and authenticating with the target system for the open session connection (Paolucci: Page 2 Line 1 – 2 and Page 6, 5th Bullet), and (b) Greene teaches using an one-time pad of passwords to be synchronously changed between the client and the authentication server so that exposure of a password over an insecure channel does not compromise the security of subsequent transactions because a previously valid password does not provide any information about the validity of subsequent passwords (Greene: Column 1 Line 50 – 52 / Line 55 – 60).

initiate a connection of said computer with said predetermined area of said target server in case of a positive verification (Rajakarunanayake: Column 6 Line 36 – 38 / Line 50 – 53 / Line 63 – 67 and Column 12 Line 1 – 2 / Line 12 – 17 & Figure 3 / Element 330 & 157: after the positive verification of the user identifier and authentication information by the authentication server (i.e. once the desired target location is determined), a new session is established between the user and the determined target location by the authentication server).

As per claim 2, Paolucci as modified teaches characterized by providing an autorun-information file on said record carrier, which autorun-information file provides an automatic execution of a predetermined executable file after the record carrier is

loaded in a reading device (Paolucci: Page 7, Section of Auto-run mode, 1st Para and Page 7 Line 1: automatic launching of connection request upon the insertion of the CD).

As per claim 3 and 25, Paolucci as modified teaches providing an autostart file on said record carrier, which autostart file gets automatically executed after the record carrier is placed and loaded in a reading device and which autostart file provides a link to start said application, or which autostart file is part of said application, or which autostart file is said information file (Paolucci: Page 7, Section of Auto-run mode, 1st Para, Page 17, 3rd Bullet and Page 7 Line 1 and Page 15 Line 6 – 8: automatic launching of connection request upon the insertion of the CD).

As per claim 4, Paolucci as modified teaches providing the application on said record carrier, or on a server, preferably downloadable, or on an access-software record carrier (Paolucci: Page 6, 2nd Para, 1st Bullet and Page 15 Line 6 – 8: Launching of the process in Auto-run mode from the CD).

As per claim 6, Paolucci as modified teaches <u>starting the application from said</u> record carrier, or <u>from a server</u>, <u>preferably as a download</u>, or <u>via an access-software</u> record carrier, <u>preferably after an installation of the application on a hard disc of the computer</u> (Paolucci: Page 6, 2nd Para, 1st Bullet and Page 17, 3rd Bullet: Launching of the process in Auto-run mode from the CD).

As per claim 7, 21 and 23, Paolucci as modified teaches said application verifies whether or not the record carrier is an original and performs said communication with said authentication server in case of a positive verification (Paolucci: Page 10 Line 1 – 2 & 2nd Para, Page 6, Last 2nd Para, Page 9, 1st Para and Page 17, 3rd Bullet: an access to a certain website is only possible by using the original CD because the information file (e.g., key / confidential access code, URL and password) integrated into a specific file enabling a secure access to the website is <u>copy-protected</u> (i.e. is <u>impossible to be reproduced</u>)) and as such, the communication with the authentication server cannot be started without the information file due to being copy-protected).

As per claim 8, Paolucci as modified teaches said application transmits a changing parameter of the computer, in particular a randomly generated number and/or a computer system time to said authentication server (Greene: Column 1 Line 50 – 52 / Line 55 – 60: a one-time pad of passwords is synchronously changed and used between the end-to-end parties and a previously valid password does not provide any information about the validity of subsequent passwords).

As per claim 9, Paolucci as modified teaches said authentication server verifies whether or not the communication with said application and/or a transmission of said project identifier as a request for a connection between said computer and said predetermined area of said target server is posted from said application and initiates a connection of said computer with said predetermined area of said target server in case

of a positive verification (Paolucci: Page 7 Line 1, Page 8, 2nd Para / Line 5 – 7 Page 9, 1st Para and Page 17, 3rd Bullet: between the access device and the authentication server) & (Rajakarunanayake: Column 12 Line 1 – 2 / Line 12 – 17 & Figure 3 / Element 330 & 157 and Column 2 Line 7 – 10: after the positive verification of the user identifier and authentication information by the authentication server, a new session is established between the user and the determined target location by the authentication server).

As per claim 10, Paolucci as modified teaches after a positive verification a connection between said authentication server and said target server is set-up by said authentication server that connects to said target server to secure that the computer is connected to said predetermined area of said target server via said authentication server (Rajakarunanayake: Column 12 Line 1 – 2 / Line 12 – 17 & Figure 3 / Element 330 & 157 and Column 2 Line 7 – 10: after the positive verification of the user identifier and authentication information by the authentication server, a new session is established between the user and the determined target location by the authentication server).

As per claim 12, Paolucci as modified teaches:

the authentication server generates a session identifier based on the positive verified values and transmits said session identifier to said target server via said connection between said authentication server and said target server

(Rajakarunanayake: Column 12 Line 1 - 2 / Line 12 - 17 & Figure 3 / Element 330 & 157 and Column 2 Line 7 - 10: after the positive verification of the user identifier and authentication information by the authentication server, a new session is established between the user and the determined target location by the authentication server),

said connection between said computer on which said application is started and said predetermined area of said target server is set up by redirecting the connection between the computer and the authentication server to the target server or by forwarding data of the protected area to the computer (Rajakarunanayake: Column 12 Line 1 – 2 / Line 12 – 17 & Figure 3 / Element 330 & 157 and Column 2 Line 7 – 10), and

said connection between said computer on which said application is started and said predetermined area of said target server is executed after the target server received a confirmation of a validity of the session identifier from the authentication server (Rajakarunanayake: Column 6 Line 63 – Column 7 Line 1 and Column 12 Line 1 – 2 / Line 12 – 17: when the user ends the session to the target location, the user need to be authenticated by the authentication server again – and therefore, Examiner notes the target server received a confirmation of a validity of the session identifier from the authentication server).

As per claim 13, Paolucci as modified teaches the authentication server confirms the validity of the session identifier by positively determining whether or not the session identifier exists and/or whether or not the session identifier was already requested to be

valid (Greene: Column 1 Line 50 - 52 / Line 55 - 60: a one-time pad of passwords is synchronously changed and used between the end-to-end parties and a previously valid password does not provide any information about the validity of subsequent passwords).

As per claim 15, Paolucci as modified teaches said record carrier is copy protected by copy protecting the information file (Paolucci: Page 10 Line $1 - 2 \& 2^{nd}$ Para, Page 6, Last 2^{nd} Para, Page 9, 1^{st} Para and Page 17, 3^{rd} Bullet: key / confidential access code, URL and password integrated into a specific file, as part of the information file, enabling a secure access to an internet website is <u>copy-protected</u> (i.e. is <u>impossible</u> to be reproduced), as taught by Paolucci).

As per claim 16 and 28, Paolucci as modified teaches said predetermined area on said target server comprises bonus material of the content that is included on the record carrier besides said executable file (Paolucci: Page 19 Last Para, Page 18 Last 2nd Para: e.g. a email address search list or an international phone book is considered as a bonus material included in the predetermined email URL address website).

As per claim 17 and 27, Paolucci as modified teaches said information file is a part of said application or is an executable file of said application (Paolucci: Page 10 Line 4 - 6 / Line 10 - 11, Page 17, 3^{rd} Bullet and Page 14 Line 6 - 7).

Art Unit: 2131

As per claim 18, Paolucci as modified teaches computer program means adapted to perform the method steps as defined in claim 1 or parts thereof when being executed on a computer, digital signal processor, or the like (Paolucci: Page 2 and Page 5).

As per claim 19, Paolucci as modified teaches computer readable storage means, comprising a computer program product according to claim 18 (Paolucci: Page 2 and Page 5).

As per claim 24, Paolucci as modified teaches an autorun-information file, which provides an automatic execution of a predetermined executable file after the record carrier is loaded in a reading device (Paolucci: Page 7, Section of Auto-run Mode, Line 1 – 4: loaded from a CD reader as a reading device).

13. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Paolucci et al. (Frence Patent FR-A-2822255), in view of Rajakarunanayake (U.S. Patent 6,587,883, and in view of Greene et al. (U.S. Patent 6,802,000), and in view of Mitchell et al. (U.S. Patent 6,959,420).

As per claim 14, Paolucci as modified does not disclose expressly the target server assigns a temporary session cookie to the computer so that the whole

Application/Control Number: 10/542,500 Page 23

Art Unit: 2131

predetermined area of the target server can be accessed via said connection between said computer on which said application is started and said target server.

Mitchell teaches the target server assigns a temporary session cookie to the computer so that the whole predetermined area of the target server can be accessed via said connection between said computer on which said application is started and said target server (Mitchell: Column 1 Line 28 – 35 / Line 43 – 45 / Line 56 – 60: a temporary or session cookie is stored on a user's computer only for the current browsing session and the cookie is deleted from the computer when the browsing software is closed).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teaching of Greene within the system of Paolucci as modified because (a) Paolucci teaches providing an automated secured access to a target location (i.e. internet website) by launching of the process from a user's CD at the client site and authenticating with the target system for the open session connection (Paolucci : Page 2 Line 1-2 and Page 6, 5^{th} Bullet), and (b) Mitchell teaches using a temporary session cookie to be stored on a user's computer so that the user does not have to repeatedly resubmit information to the website and the cookie is valid only for the current browsing session and is deleted when the browsing session is closed to avoid the abuse of the user's privacy by the untrustworthy website (Mitchell: Column 1 Line 28-35 / Line 43-45 / Line 56-60 / Line 61-67).

Application/Control Number: 10/542,500 Page 24

Art Unit: 2131

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Longbit Chai whose telephone number is 571-272-3788. The examiner can normally be reached on Monday-Friday 9:00am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz R. Sheikh can be reached on 571-272-3795. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Longbit Chai, Ph.D. Patent Examiner Art Unit 2131

Longan Cha-

4/27/2007